IRL2.CDR Page 1 Monday, May 3, 2010

IRL2

Quick Reference Guide

The IRL2 is an infrared code capture device specifically designed for system integration professionals. This device easily connects to a PC via USB and provides the necessary tools that allow creation of re-usable programming databases in the most efficient and reliable way possible. The IRL2 is designed to work together with the infrared library manager that is included as part of the Configurator software program. Item included with the IRL2 are listed below as well as system requirements for the PC used for programming:

Items included in IRL2 kit:

(1) IRL2 infrared learning device
(1) USB to mini-USB cable (6 foot length)
(1) Quick Reference Guide

PC requirements:

System: Windows Vista, XP, or 7 (32 & 64 bit OS)
Connection: Mini-USB
Free Disk Storage: At least 50MB of free disk storage
Screen Resolution: 800 x 600 with 256 colors minimum
Control: Mouse or equivalent

Software requirements:

ELAN Common Resource Library
ELAN Configurator
Sunfire Suntools
ATON AH66T Tool

Figure 1



Refer to your software's documentation for information on learning IR codes. Follow the steps below for using the IRL2:

1. Connect the IRL2 to your PC using the USB cable provided.
2. Place the IRL2 on a flat surface next to your PC.
3. Place the remote control to be captured toward the back of the IRL2 facing the indicator named IR IN SENSOR.
4. Enter the CAPTURE mode within the software.
5. Press and hold the remote control button you want to learn and verify that the IR IN DETECT flashes.
6. You may test the function learned in the previous step by pressing the TEST button on the front of the IRL2 while pointing at the device being controlled (less than 15 feet away). Be sure to point the FRONT of the device labeled IR OUT toward the device being controlled.

© ELAN Home Systems 2010 • All rights reserved.

TS7BKT.CDR Page 1 Monday, October 27, 2009

Specifications

IRL2:
Size: 3.66” W x 2.6” H x 0.92” D
Power requirements: Powered over USB
IR Carrier Frequency Range: 15kHz - 460kHz, or no carrier
Operating temperature: +32 °F to +122 °F (0 °C to +50 °C)
Weight: 8 oz

Limited Warranty

ELAN HOME SYSTEMS L.L.C. ("ELAN") warrants the IRL2 to be free from defects in materials and workmanship for the period of two years (2 years) from the date of purchase. If within the applicable warranty period above purchaser discovers that such item was not as warranted above and promptly notifies ELAN in writing, ELAN shall repair or replace the item at the company’s option. This warranty shall not apply (a) to equipment not manufactured by ELAN, (b) to equipment which shall have been installed by other than an ELAN authorized installer, (c) to installed equipment which is not installed to ELAN’s specifications, (d) to equipment which shall have been repaired or altered by others than ELAN, (e) to equipment which shall have been subjected to negligence, accident, or damage by circumstances beyond ELAN’s control, including, but not limited to, lightning, flood, electrical surge, tornado, earthquake, or other catastrophic events beyond ELAN’s control, or to improper operation, maintenance or storage, or to other than normal use of service. With respect to equipment sold by, but not manufactured by ELAN, the warranty obligations of ELAN shall in all respects conform to the warranty actually extended to ELAN by its supplier. The foregoing warranties do not cover reimbursement for labor, transportation, removal, installation or other expenses which may be incurred in connection with repair or replacement.

Except as may be expressly provided and authorized in writing by ELAN, ELAN shall not be subject to any other obligations or liabilities whatsoever with respect to equipment manufactured by ELAN or services rendered by ELAN.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESSED AND IMPLIED WARRANTIES EXCEPT WARRANTIES OF TITLE, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

ATTENTION: TO OUR VALUED CUSTOMERS
To ensure that customers obtain quality pre-sale and after-sale support and service, ELAN Home Systems products are sold exclusively through authorized dealers. ELAN products are not sold online. The warranties on ELAN products are NOT VALID if the products have been purchased from an unauthorized dealer or an online E-tailer. To determine if your ELAN reseller is authorized, please call ELAN Home Systems at (859) 269-7760.

ELAN HOME SYSTEMS
LEXINGTON, KY USA • MADE IN CHINA

P/N 9901086 REV A

© ELAN Home Systems 2010 • All rights reserved.

TS7BKT.CDR Page 1 Monday, October 27, 2009

MANUAL, IRL2 QUICK REFERENCE GUIDE
LINEAR P/N 9901086 REV : A
INK: BLACK
MATERIAL: 140 G GLOSS ART
SCALE: 1-1
SIZE: 8.500 X 14.000, TOL: +/- .40
FOLDING: FOLD IN TO EIGHTHS
FINISHED SIZE: 4.250 X 3.500
ARTWORK CREATED BY ELAN HOME SYSTEMS
NUMBER OF PAGES: 2